

Presence of marine debris in the stomach contents of the marine mammals stranded in the Santos Basin, southeast Brazil.

Suelen Goulart¹; Marzia Antonelli¹; Marina Molinas Alcalá¹; Janaina Rocha Lorenço¹; Emanuel Ferreira¹; Carla Beatriz Barbosa²; Pedro Castillo³; Marta Cremer⁴; Jeferson Luis Dick⁵; Camila Domit⁶; Daniela Ferro Godoy⁷; Karina Groch⁸; Andrea Maranhão⁹; Rodrigo Valle¹⁰; Andre S. Barreto⁵; Cristiane K. M. Kolesnikovas¹.

¹CePRAM - Centro de Pesquisa e Reabilitação de Animais Marinhos - Associação R3 Animal – SC; ²Instituto Argonauta; ³Universidade do Estado de Santa Catarina; ⁴Universidade da Região de Joinville; ⁵EMCT – UNIVALI; ⁶Centro de Estudos do Mar/UFPR; ⁷Instituto de Pesquisas Cananéia – IPEC; ⁸Instituto Australis - Right Whale Project; ⁹Instituto GREMAR; ¹⁰Biopesca Institute - Paulista University;

Marine debris, mainly plastic, are important threat to different habitats and marine biodiversity. Fauna can be heavily impacted through the ingestion of residues and also by entanglement and potential injuries, compromising their lives. In this context, the present study aims to investigate the presence of anthropogenic residues in the stomach contents of marine mammals along the coast of south and southeast Brazil, from 2015 to 2019. The samples were collected through the records generated from the Santos Basin Beach Monitoring Project (PMP-BS), one of the monitoring programs required by Brazil's federal environmental agency, IBAMA, for the environmental licensing process of the oil production and transport by Petrobras at the Santos Basin pre-salt province.

The main plastic fragments found in cetacean and pinniped stomachs were: Nylon; Plastic Bags; Plastic seal; Microplastics; Straws; Disposable cups; Rubbers.




Figure 2: (A) Some plastics and their sources found in marine mammals stranded in Southeast Brazil; (B) Nylon fragment in *Stenella frontalis* stomach; (C) Plastic bags and other plastics in *Megaptera novaeangliae* stomach; (D) Rubber in *Kogia breviceps* stomach; (E) Disposable cup in *Pontoporia blainvillei* stomach. Pictures: (A) Suelen Goulart/ R3 Animal; (B, C, D, and E) All the pictures are from SIMBA, the online dataset of Santos Basin Beach Monitoring Project.

***Pontoporia blainvillei* was the species that had greatest interaction with marine debris, plastic was present in 63 animals showing large scale impact in this endangered species.**

The Franciscana Dolphin inhabits coastal zones and also interacts strongly with other anthropic activities such as fishing. Other species with a substantial number of individuals affected by plastic were *Arctocephalus australis* and *Sotalia guianensis*. Therefore, it is important to investigate the occurrence of anthropogenic residues in the stomach contents of marine mammals in order to occurrence of anthropogenic residues in the stomach contents of marine mammals in order to demonstrate the extent of their damage.



Figure 3: Franciscana Dolphin, the most endangered cetacean in Brazil. Picture: Toninha's Project.




Figure 1: Area monitored by the Santos Basin Beaches Monitoring Project – Phase 1 in São Paulo, Paraná and Santa Catarina states. Picture: Annual report of Santos Basin Beaches Monitoring Project

The carcasses that had been found were sent to necropsy and analysis of stomach contents, a total of 2476 stomachs were evaluated and a total of ten species of marine mammals showed interactions with marine debris. Waste was present in **91 individuals**.

ACKNOWLEDGEMENT

We are grateful to the Beaches Monitoring Project of Santos Basin (PMP-BS, from “Projeto de Monitoramento de Praias da Bacia de Santos”), which aims to evaluate the potential impacts from oil and gas production at the oceanic Pre-Salt province on Brazil's Santos Basin. This project was required by the federal environmental agency in Brazil (IBAMA), as part of the environmental licensing of PETROBRAS' activities in the area, together with other monitoring programs (further information can be obtained at <http://www.comunicabaciadesantos.com.br>). The PMP-BS focuses on beached seabirds, sea turtles and marine mammals, as requested by the environmental agency. We are also very grateful to the entire R3 Animal Association group that makes this work possible.